



Digital ABS Height Gauge

0-12"/300mm, Inch/Metric

Item number: 570-312



ABSOLUTE®

Description


This Digimatic height gauge is very precise and reliable, and offers you the following benefits:


- Its built-in ABSOLUTE linear encoder means you don't have to set the reference point at every power-on, improving reliability as over-speed errors cannot occur.
- It comes with large and smooth-acting slider hand wheel
- A carbide-tipped scriber is provided.
- SPC data output.

Specification

Accuracy:	±0,03 mm/0.0015"
Mm / inch switching:	Yes
Range:	0 - 12 Inch
Maximum Permissible Error J MPE:	±0,03 mm/0.0015"
Mass:	4.6 kg
Scale:	ABSOLUTE electrostatic linear encoder
Max. response speed:	Unlimited
Digital step:	0,0005"/0,01 mm
Display:	LCD, Character Height 10 mm
Power supply:	1 battery SR-44
Battery life:	approx. 20000 hours
Delivered:	Including 1 battery, scriber and scriber clamp
ORIGIN:	Yes
ZERO/ABS:	Yes
ON/OFF:	Yes
DATA (output with cable) / HOLD (display value):	Yes
Low voltage alarm:	Yes
Data output:	Yes
Digital/Analog:	Digital
Inch-Metric:	Inch/Metric

Dimensions





02AZD730G



List Price

£231.60 inc. VAT

£193.00 ex. VAT



**U-WAVE-T Connection Cable F
Flat Straight Type**

02AZD790F

List Price

62.00 ex. VAT



**Holding Bar for Swivel Clamp
6,25x12,7mm, 2" Length**

953639

List Price

11.50 ex. VAT

« < 1 2 > »

Standard accessories:



**Scriber Clamp
for 6,35x12,7mm Sciber**

901385

List Price

14.60 ex. VAT



**Carbide Tipped Scriber
6,35x12,7mm, 177mm Length**

900258

List Price

53.40 inc. VAT

£44.50 ex. VAT

Spare parts

Consumable spares:



Battery SR44 1.5V

938882



**SR44 (SII)
button battery**

BD002