

# The "Smart" Choice when it comes to Flue Gas Analysis & Testing Solutions



### DC711 - Flue Gas Analyser





### DC711 - Best of Both Worlds




## "To VIEW".





## Or not "To VIEW".....



- Easy to Use, Durable & Affordable!!
- Domestic or Commercial
- Upgradeable to include NOx sensor
- Upgradeable to include High CO sensor
- Multiple Fuel Options
- Hold, Save, Print & Send
- Clear, Easy to Read Screen
- Easy to Navigate Menu System
- Pressure & Tightness Test feature
- Differential Temperature for Flow & Return or Radiator Balancing

## that is the question.....

tpieurope.com | sales@tpieurope.com | call 01293 530196



## DC711 - Kits & Upgrades





#### Kits

| DC711 Kit        | DC711 Analyser, Probe & Charger<br>in Padded Carry Case     | £555 |
|------------------|---|------|
| DC711 Kit 1      | As DC711 Kit <b>PLUS</b> A741BT Wireless Printer            | £695 |
| DC711-View Kit   | View enabled Analyser, Probe & Charger in Padded Carry Case | £630 |
| DC711-View Kit 1 | As DC711-View Kit <b>PLUS</b> A741BT Wireless Printer       | £770 |

#### Upgrades

| DC711-HCO | Add High CO (replacement for standard CO)                                  | £150 |
|-----------|--|------|
| DC711-NO  | Add NOx (in addition to O2 and CO sensors)                                 | £250 |
| BP1-Up    | Replace standard Padded Carry Case for Multi-Purpose, Multi Tool Back Pack | £50  |
| View-Up   | Upgrade cost to enable VIEW app remote connectivity                        | £75  |

### **Essential Accompanying Kit Options**

# Choose from a range of complimentary instruments & accessories to build you own kit



A770-A **£80** exc. VAT

50

# Angled Sampling Probe

- Angled for insertion into hard to reach flue test points
- Comes with A796 Water Stop Filtration System as used on ALL TPI FGAs for over 10 years
- Use with DC710 & DC711 Kits



Pocket Gas Sniffer

- Detect & Trace combustible gas leaks
- Flexible neck for hard to reach areas
- 40ppm sensitivity

368

 Easy to use, single button w/ Visual & Audible Indicators



AC Volt
Alert Tester
Stick

- Non-Contact
- 50 to 1,000 Volts
- Audible & Visual Indicators
- Determine the presence or absence of AC voltage without disconnecting the system in question



IR Close Focus Temperature

- Non-Contact Thermometer
- -22°C to 120°C range
- Measure surface temperature without contacting with the surface
- Data hold, Min/Max & Scan
- Pocket size with carrystrap



CPK3 £95 exc. VAT

CPA1 Probe Kit

- Use on a range of open flued, room sealed and flueless appliances
- Use to sample combustion products from cookers, grills and flueless appliances as described in BS7967:2005



Pair of Pipe Temperature Probes

- Works with the DC710, DC711 and SP341 Kits
- Jaw Opening suitable for Pipes up to 22m
- -50°C to 250°C range
- 1 metre coiled cable length w/ "K" type sub-mini connector



For the FULL range of TPI solutions & Accessories visit: -

www.tpieurope.com