














# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack

**Compatible with CNX:** No


**\*Requirements:** 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400, Ti300 and Ti200 Infrared Cameras or with the Fluke Connect app; SW3000 FC Software requires the PC adapter



Built with  
**FLUKE CONNECT™**




©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.





# Compatibility chart

**FLUKE®**


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	 <b>Connects with:</b>		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			



**Connects with:**




3000 FC Digital Multimeter




Ti400, Ti300 and Ti200




pc3000 FC PC Adapter



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)



SW3000 FC Software\*

**Includes:** 2-AA batteries (installed), information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter



Built with

**FLUKE CONNECT™**



Download on the  
**App Store**










ANDROID APP ON  
**Google play**

©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.

# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools			
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
Ti400, Ti300 and Ti200 Infrared Cameras			
	3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	SW3000 FC Software*
Ti95 and Ti90 Infrared Cameras	<div><div><div><b>Includes:</b> 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack</div><div><b>Compatible with CNX:</b> No</div><div><b>*Requirements:</b> SW3000 FC Software requires the PC adapter</div></div></div>		
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			



Built with  
**FLUKE CONNECT™**




Download on the  
**App Store**



ANDROID APP ON  
**Google play**











©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:						
3000 FC Digital Multimeter								
a3000 FC Module – AC Current Clamp								
a3001 FC Module – AC Current w/iFlex								
<b>a3002 FC Module – AC/DC Current</b>								
v3000 FC Module – AC Voltage								
v3001 FC Module – DC Voltage								
t3000 FC Module – Temperature								
Ti400, Ti300 and Ti200 Infrared Cameras								
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	<table><tr><td><b>i410 and i1010 clamps sold separately</b></td></tr><tr><td><b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack</td></tr><tr><td><b>Compatible with CNX:</b> No</td></tr><tr><td><b>*Requirements:</b> SW3000 FC Software requires the PC adapter</td></tr></table>				<b>i410 and i1010 clamps sold separately</b>	<b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack	<b>Compatible with CNX:</b> No	<b>*Requirements:</b> SW3000 FC Software requires the PC adapter
<b>i410 and i1010 clamps sold separately</b>								
<b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack								
<b>Compatible with CNX:</b> No								
<b>*Requirements:</b> SW3000 FC Software requires the PC adapter								
Ti95 and Ti90 Infrared Cameras								
Fluke Connect™ accessories								
ir3000 FC Wireless Connector								
ir3000 FC1550 Wireless Connector								
pc3000 FC PC Adapter								
Wireless FC SD Card								
Fluke Connect™ software								
Fluke Connect™ App - iOS								
Fluke Connect™ App - Android™								
SW3000 FC Software								



Built with  
**FLUKE CONNECT™**




Download on the  
**App Store**



ANDROID APP ON  
**Google play**

©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.





# Compatibility chart


**FLUKE**®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
ir3000 FC1550 Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	












3000 FC Digital Multimeter

Ti400, Ti300 and Ti200

pc3000 FC PC Adapter







Fluke Connect™ App: iOS (4s and later)

Fluke Connect™ App: Android (4.3 and up)

SW3000 FC Software\*

**Includes:** TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter



Built with  
**FLUKE CONNECT™**




Download on the  
**App Store**



ANDROID APP ON  
**Google play**








©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No


**\*Requirements:** SW3000 FC Software requires the PC adapter



Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.












# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	SW3000 FC Software*
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** 2-AA batteries (installed), 8Opk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

**Includes:** 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack

**Compatible with CNX:** No


**\*Requirements:** SW3000 FC Software requires the PC adapter



Built with  
**FLUKE CONNECT™**






©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** Infrared lens, ac power supply and battery pack charger, 2x battery packs, USB cable, HDMI video cable, SmartView® software (free download), rugged, hard carrying case, soft transport bag and hand strap

**Compatible with CNX:** Yes

**\*Requirements:** 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras



Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.










# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	Wireless FC SD Card
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** Power adapter, battery (Ti125 includes 2 each—other models 1 each), USB cable, SD memory card, hard carrying case, soft transport bag, hand strap, users manual and SmartView® software

**Compatible with CNX:** Yes

## Connects with:



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)



Wireless FC SD Card

**Includes:** Power adapter, battery (Ti125 includes 2 each—other models 1 each), USB cable, SD memory card, hard carrying case, soft transport bag, hand strap, users manual and SmartView® software

**Compatible with CNX:** Yes



Built with  
**FLUKE CONNECT™**







©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
<b>Ti95 and Ti90 Infrared Cameras</b>			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			

**Includes:** Power adapter, battery, USB cable, hard carrying case, soft transport bag, hand strap (Ti95), users manual, and SmartView® software

**Compatible with CNX:** No



Built with

**FLUKE CONNECT™**



Download on the  
**App Store**



ANDROID APP ON  
**Google play**


©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.

# Compatibility chart


**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
ir3000 FC1550 Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	




### Connects with:




Fluke 789 ProcessMeter™




Fluke 289 Digital Multimeter




Fluke 287 Digital Multimeter



Fluke 189 Digital Multimeter



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)

189, 287, 289 and 789 compatible

Includes: Instruction sheet

Compatible with CNX: No

189, 287, 289 and 789 compatible

**Includes:** Instruction sheet

**Compatible with CNX:** No









©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature	<div>1550B, 1550C and 1555 Insulation Resistance Testers compatible</div> <div><b>Includes:</b> Instruction sheet</div> <div><b>Compatible with CNX:</b> No</div>		
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			



Built with

**FLUKE CONNECT™**



Download on the  
**App Store**










ANDROID APP ON  
**Google play**

©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.

# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage		a3002 FC Module	v3000 FC Module	v3001 FC Module
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** SW3000 FC Software and instruction sheet


**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.




# Compatibility chart


**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
ir3000 FC1550 Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	




### Connects with:




Ti125, Ti110, Ti105 and Ti100 Infrared Cameras



Ti95 and Ti90 Infrared Cameras



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)

<b>Includes:</b> Instruction sheet
<b>Compatible with CNX:</b> No



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.












# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage	a3002 FC Module	v3000 FC Module	v3001 FC Module	
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Compatible with CNX: No**

**\*Requirements:** 3000 FC DMM must be in module mode to connect with Fluke Connect App


Users with iOS phones can use the app to communicate with users with iOS or Android phones.



Built with  
**FLUKE CONNECT™**










©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.




# Compatibility chart


**FLUKE**®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage	a3002 FC Module	v3000 FC Module	v3001 FC Module	
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				


**Connects with:**


  
3000 FC Digital Multimeter\*


  
a3000 FC Module


  
a3001 FC Module


  
a3002 FC Module


  
v3000 FC Module


  
v3001 FC Module


  
t3000 FC Module


  
Ti25, Ti110, Ti105 and Ti100

  
Ti400, Ti300 and Ti200

  
Ti95 and Ti90

  
Wireless FC SD Card

  
Fluke Connect™ App: iOS (4s and later)

  
Fluke Connect™ App: Android (4.3 and up)

**Compatible with CNX: No**

**\*Requirements:** 3000 FC DMM must be in module mode to connect with Fluke Connect App

Users with Andoid phones can use the app to communicate with users with iOS or Android phones.

Built with  
**FLUKE CONNECT™**








©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools			
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories	<b>Connects with:</b>		
ir3000 FC Wireless Connector			
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software	 3000 FC Digital Multimeter*  a3000 FC Module  a3001 FC Module  a3002 FC Module  v3000 FC Module  v3001 FC Module  t3000 FC Module  pc3000 FC PC Adapter		
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			
<b>Includes:</b> pc3000 FC PC Adapter and instruction sheet			
<b>Compatible with CNX:</b> No			
<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC software			



Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 13167-eng.

