

P/N: MR08

Copyright

© 2015, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: MR08
Release:
Commit: 30135
Language: en-US
Modified: 2015-10-31
Formatted: 2015-11-02

Website

<http://www.flir.com>

Customer support

<http://support.flir.com>

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



General description	
Part number	MR08
Part name	Hammer and Wall Cavity Probe Combo
<p>The FLIR MR08 Hammer and Wall Cavity Probe Combo is ideal for both hammer probe and wall cavity applications. The hammer probe has an additional handle on the bottom to add convenience for angled, horizontal, and inverted hammer-probing needs. The bottom handle can be unscrewed and used as a wall cavity probe to measure the moisture level of insulation within the wall cavity and can also reach the inside face of an exterior wall. You can also install the impact plate for use with a hammer to punch the extended pins through drywall.</p> <p>FLIR's new insulated pins are smaller in diameter—requiring minimal force to drive the pins into a surface—resulting in less impact to the material. The sandblasted, hardened-steel pins with a single-piece design prevent bending and create an improved bonding surface for the abrasion-resistant insulation. The insulation extends all the way to the connection to the probe, so even if you drive the pins all the way into the wall cavity, the drywall will not affect the measurement.</p> <ul style="list-style-type: none"> • Insulated pins designed for increased durability. • Rubberized ergonomic grips reduce slippage. • Detachable cord with a durable BNC connection. • Pins included: 2 pairs of 2 in. pins, 1 pair of 4 in. pins, 1 pair of 6 in. pins. • Impact plate to drive pins through a drywall. 	
Meter data	
Suitable main unit	MR77, MR160, MR176
Cable length	2.45 m (8 ft.) uncoiled
Included insulated pin pairs and length	2 pairs of 2 in. (50 mm), 1 pair of 4 in. (101 mm), 1 pair of 6 in. (152 mm)
Warranty	2 years (with registration)
Meter physical data	
Weight	1.48 kg (3.25 lb.)
Dimensions (H x W x L)	4.5 cm x 5.97 cm x 56.9 cm (1.8 in. x 2.4 in. x 22.4 in.)
Material	PC-ABS, stainless steel
Color	Black
Shipping information	
Packaging type	White box with accessory color printing
Packaging contents	MR08, 2 pairs of 2 in. insulated pins, 1 pair of 4 in. insulated pins, 1 pair of 6 in. insulated pins, cable, impact plate, pin wrench, shoulder case
Packaging weight	5 kg (11.1 lb.)
Packaging dimensions (H x W x L)	15.5 cm x 18 cm x 65 cm (6.1 in. x 7.1 in. x 25.6 in.)




Hammer and Wall Cavity Probe Combo

P/N: MR08

© 2015, FLIR Systems, Inc.

#MR08; r. /30135; en-US

Shipping information	
Master carton weight	11 kg (24.25 lb.)
Master carton dimensions (H x W x L)	18.5 cm x 36.5 cm x 67 cm (7.3 in. x 14.4 in. x 26.4 in.)
Master carton quantity	2
EAN-13	0793950370087
UPC-12	793950370087
Country of origin	China
Tariff code	9025900000
Technical support	
Website	http://support.flir.com
E-mail	TMSupport@flir.com
Phone	855-499-3662
Repairs	repair@flir.com
Replacement parts	
MR-PINS2	2 inch pins for MR06, MR07, MR08, includes 1 pair of pins
MR-PINS2-10	2 inch pins for MR06, MR07, MR08, includes 10 pairs of pins
MR-PINS4	4 inch pins for MR06, MR07, MR08, includes 1 pair of pins
MR-PINS6	6 inch pins for MR06, MR07, MR08, includes 1 pair of pins



Modified Date Wednesday, September 30, 2015	Modified By T&M Engineering
Description FLIR MR08 Hammer and Wall Probe Combo	
Units Centimeters	Scale Not to Scale