KFRN CCS600K-2U



Counting system to count the smallest parts in the largest quantities, counting resolution up to 999,999 points



Measuring system	
Adjustment options:	External calibration
Linearity:	50 mg
Recommended adjusting weight:	600 kg (M1)
Repeatability:	20 mg
Stabilisation time under laboratory conditions:	2 s
Weighing system:	Strain gauge
Weighing units:	kg lb

Display digit height:	2 cm
Counting	
Counting resolution:	12000000

50 mg

counting (Laboratory: Mininum piece weight at piece 500 mg counting (Normal):

Mininum piece weight at piece

Display

Reference weight: yes

Functions		
Conversion function:	yes	
Counting function:	yes	
Function to save totals:	yes	
PRE-TARE function:	yes	
Weighing with tolerance range:	yes	

Environmental conditions						
Maximum humidity:	80 %					
Maximum operating temperature:	40 °C					
Minimum ambient temperature:	0°C					
Minimum humidity:	0 %					

	0	VV	Ar	C I	In	n	W
ш	U	w	er	ગ	JŲ	ν	IУ

Charging time: 12 h

220 V - 240 V AC 50 Hz Input voltage: Mains adapter/adapter included: CH EURO UK US

Operating time (Backlight on): 70 h

Rechargeable battery: Rchrg. battery optional

Service

Adjustment at the location of installation: abhängig von

Auflösung/Max | depends on resolution and capacity

DAkkS Certificate: 962-130-127

Category

Brand: KERN

Product Group: Counting system

Packaging & shipping

Delivery: 120 h

Dimensions packaging (WxDxH): 860 x 130 x 235 mm

Gross weight: 50 kg Net weight: 46 kg

Shipping method: Freight forwarder

Construction

1,500 m Cable length: Cable length of display device: 2,500 m Casing material: **Plastic**

Dimensions of weighing plate 840 x 11190 x 90 mm

(WxDxH):

Level indicator: yes

Material weighing plate: Metal lacquered Overall dimensions mounted 320 x 330 x 125 mm

(WxDxH):


Revolving screw feet:

yes

Weighing surface (WxD): 840 x 1190 mm

Piktogramme

STANDARD



OPTION

