## KERN FOB3K-3LM



Compact stainless steel bench scale with EC type approval [M] and special checkweighing display for even more efficient working



Measuring system	
Adjustment options:	External calibration
Linearity:	2 g
Readability [d]:	1 g
Recommended adjusting weight:	2 kg (M1)
Repeatability:	1 g
Resolution:	3000
Stabilisation time under laboratory conditions:	2 s
Warm up time:	10 min
Weighing capacity [Max]:	3 kg
Weighing system:	Strain gauge
Weighing units:	g lb oz

Display digit height:	2,500 cm
Technical data about verification	
Minimum load [Min]:	20 g
Periodic Verification for Italy:	969-112
Verification approval conforming to 2014/31/EU:	yes
Verification by KERN possible:	yes
Verification class:	III
Verification value [e]:	1 g

Display

Functions		
Weighing with tolerance range:	yes	

95 %
35 °C
5°C
25 %

Power supply	
Battery:	4x1.5 V AA
Input voltage:	230 V AC 50 Hz
Mains adapter:	Mains adapter external
Mains adapter/adapter included:	EURO
Operating time:	48 h

Adjustment at the location of installation: 961-247		
DAkkS Certificate:	963-127	
Verification:	965-227	

Service

KERN
Balances
Bench scale

Packaging & shipping	
Delivery:	24 h
Dimensions packaging (WxDxH):	420 x 300 x 175 mm
Gross weight:	4,700 kg
Net weight:	3,800 kg
Shipping method:	Parcel service

Construction	
Casing material:	stainless steel
Dimensions housing (WxDxH):	256 x 285 x 100 mm
Dimensions of weighing plate (WxDxH):	248 x 198 x 15 mm
Material weighing plate:	stainless steel
Weighing surface (WxD):	248 x 198 mm

## KERN FOB3K-3LM



Compact stainless steel bench scale with EC type approval [M] and special checkweighing display for even more efficient working

## Piktogramme STANDARD LALEXT TOL BATT 230 V DMS 1 DAY OPTION DAKKS ACCU +3 DAYS FACTORY